



### WIDE APPLICATION


MULTI-PURPOSE MACHINE -STRONG AND DURABLE HIGH EFFICIENCY-REDUCE LABOUR-EASY TO OPERATE

















## **HAPPY TO RUN FOR YOUR BUSINESS**



**Q** 8884441119



sales@koralift.com

SR#38/1, Yeshwantpur hobli, Kodigehalli post, Magadi main road, Seegehalli, Near BMTC bus depo, Banglore 560091



### Gas Bottle Tail Lift

Most powerful customized TGBL series is the top-of-the-line Tippermann product around the world. Built for loading unloading industrial and medical gas cylinders of different sizes. The TGBL series designed for high cylcle operation with added safety features.

MODEL	CAPACITY	PLATFORM SIZE	RAMP SIZE	POWER SOURCE
TSCL - 1000	1000 Kg	1050 - 2200mm	950 - 1030	Electro - Hydraulics
TSCL - 1500	1500 Kg	1250 - 2230mm	1050	Electro - Hydraulics
TSCL - 2000	2000 Kg	1500 - 2200mm	1050	Electro - Hydraulics



### Cantilever Tail Lifts

Cantilever tail lifts are ideal for heavy-duty use and for all types of vehicles: vans, trucks and commercial vehicles. Thanks to Tippermann cantilever tail lifts, goods from 600 to 3000 kg can be quickly, easily and safely loaded and unloaded.

MODEL	CAPACITY	PLATFORM DEPTH	WIDTH	MATERIAL
TSCL - 1000	1000 Kg	1500 - 1600 - 1800mm	1755 - 2100mm	Carbon steel/ Aluminum
TSCL - 1500	1500 Kg	1500 - 1600 - 1800mm	2200mm	Carbon steel/ Aluminum
TSCL - 2000	2000 Kg	1500 - 1600 - 1800mm	2200mm	Carbon steel/ Aluminum
TSCL - 3000	3000 Kg	1500 - 1600 - 1800 - 2100mm	2300mm	Carbon steel
TSCL - 4000	4000 Kg	1500 - 1600 - 1800 - 2100mm	2100mm	Carbon steel



### Column Tail Lift

The TCL series is the most useful tail lift for general cargo loading and unloading. Suitable to fix on major brand Trucks, Pickup and Van models. Optimized design user-friendly construction and operation made Tippermann column lifts famous in the industry.

L NO	CAPACITY	PLATFORM DEPTH	PLATFORM WIDTH	MATERIAL	PLATFORM OPEN-CLOSE
TSCL - 500	500 - 750	800 - 900	1755	Carbon steel/ Aluminum	Manual/ Auto
TSCL - 1000	1000	950 - 1050	1755 - 2100	Carbon steel/ Aluminum	Automatic with single cylinder with heavy duty double chain
TSCL - 1500	1500	1050 - 1200	2200	Carbon steel/ Aluminum	Automatic with single cylinder with heavy duty double chain
TSCL - 2000	2000	1050 - 1500	2200	Carbon steel/ Aluminum	Automatic with single cylinder with heavy duty double chain
TSCL - 3000	3000	1800 - 2100	2300	Carbon steel	Automatic with double cylinder plus heavy duty double chain on both sides



#### Multi Dock Column Lift

Special application multi docking column lift for loading bikes, cars and special items into two or more levels. TMDL series one of the flagship design for smooth and safe loading unloading high value goods.

MODEL	CAPACITY	PLATFORM SIZE	OPEN CLOSE
TMDL - 1000	1000 Kg	2500 - 2350	Electro - Hydraulics
TMDL - 1500	1500 Kg	2500 - 2350	Electro - Hydraulics



### Mobility Wheel Chair Lift

One of the most useful innovation to help support disabled people to get into vehicles easily. This special lift is suitable for standard wheel chairs and it can be fitted to popular brand MPV, Ambulance and Bus.

MODEL	WIDTH	LENGTH	HEIGHT
TMLV - 300	720mm	1140mm	880mm
TMLV- 300A	820mm	1240mm	880mm
TMLB-300	800mm	1100mm	450mm



### Mini Electric ForkLift

Innovative multipurpose fork lift for variety of industrial and commercial usage. Very handy tool for each and every work place. Hand push-pull and hydraulic lift and decent.

CURVED ARM PORTABLE MINI FORKLIFT				
MODEL NO	TPFL-600	TPFL 1000		
Lifting capacity	600 kg	1000 kg		
Product weight	140 kg	220 kg		
Maximum Working height	1500mm	1800mm		
Lithium battery	24v /20Ah	24v /40Ah		
Motor Power	800w	1200 w		
Fork length	850mm	850mm		
Frame outer width	80 x70	80 x70mm		
Single Charge	6 hours	6 hours		



### Self Loading & Unloading Stacker Forklift

Full Electrical stacker forklift, suitable for self-loading and unloading. The most innovative technology milestone ever imagined in material handling. Most suitable for all industries, fleet owners, large warehouses etc.

MODEL	CAPACITY	LIFTING HEIGHT	OPEN CLOSE
TSLF - 1000	1000 Kg	1500mm	Full Electric
TSLF - 1500	1500 Kg	1500mm	Full Electric



#### Truck Mounted Aerial Platform

Aerial platform lifts are used as man lifts whenever work is being performed overhead, such as reaching building roofs, changing lights bulbs, etc. The aerial platform lift is one of the first tools to consider when performing the job. Auxiliary Power Control used to lower the basket in an emergency.

MODEL	MAX HEIGHT	LOAD
TAP - 10	10 Meter	200 Kg
TAP - 12	12 Meter	250 Kg
TAP - 16	16 Meter	250 Kg













### HAPPY TO RUN FOR YOUR BUSINESS 🎇









#### **0** 8884441119

- sales@koralift.com
- SR#38/1, Yeshwantpur hobli, O Kodigehalli post, Magadi main road, Seegehalli, Near BMTC bus depo, Banglore 560091





# ALL-ELECTRIC SELF-CLIMBING STACKER-FORKLIFT

GOES ALONG WITH THE TRUCK TO SLOVE THE PROBLEM OF LOADING UNLOADING





On-board handling



Large cargo capacity



Thickened steel



Lithium battery life





# EMPTY CARS CAN BE CARRIED WITH THE CAR

The front end of the fork is balanced, so you can still get on the truck without goods.









# TWO MODELS ARE AVAILABLE

The application scope and operation mode are more free.



### **ALL ELECTRIC MODEL**

Rapid charging design of lithium battery



### **SEMI-ELECTRIC MODEL**

Design of built-in lead-acid battery






### **PRODUCT REAL SHOT**







**HAPPY TO RUN FOR YOUR BUSINESS** 







SR#38/1, Yeshwantpur hobli,
Kodigehalli post, Magadi main road, Seegehalli,
Near BMTC bus depo, Banglore 560091







CURVED ARM PORTABLE MINI FORKLIFT				
MODEL NO	TPFL-600	TPFL 1000		
Lifting capacity	600 kg	1000 kg		
Product weight	140 kg	220 kg		
Maximum Working height	1500mm	1800mm		
Lithium battery	24v /20Ah	24v /40Ah		
Motor Power	800w	1200 w		
Fork length	850mm	850mm		
Frame outer width	80 x70	80 x70mm		
Single Charge	6 hours	6 hours		





# **HEAVY OBJECTS ARE EASY TO DEAL WITH**

This fork lift is suitable for loading and unloading in workshops, supermarkets, logistics, warehouses and other places, with reasonable design, simple structure and strong practicability.







700KG

Strong bearing

capacity

# FOUR FULL TENDONS HAVE STRONG **BEARING CAPACITY**

Thick and thick steel, thick and durable, reinforced base, safe and secure.



Thickened

base

Quality

materials





## **PRODUCT DETAILS**

### **HIGH QUALITY OIL CYLINDER**

Using two-speed buffer cylinder, the descending speed is fast under light load and slow under heavy load.





### CONVENIENT **DISASSEMBLY**

Firmly installed forks are easy to disassemble.

### **EMERGENCY STOP SWITCH**

Safe operation with electricity display





### **OPERATING INTERFACE**

Fully functional operating car body



## FORK ANGLE CAN BE ADJUSTED

Adjust the lifting height of the fork according to different working environments.

